

Work Order ID 136560

Thursday, September 03, 2015 8:01:34 AM

136560

Page 1

Item ID: 646.3810

Revision ID:

Item Name: Bracket

Start Date: 9/4/2015 Start Qty: 5.00

Required Date: 9/4/2015 Req'd Qty: 5.00

Reference:

Accept

N900040100Setup Start ***NS1***Stop ***NS2***

Cust Item ID:

Customer:

Approvals:

Process Plan: MCSDate: SEP 03 2015

Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Run Start ***NR1***Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
646.3800	N/C

110

0.00

110

HAAS CNC VERTICAL MACHINING #1

0.02

Mill Conv

Memo

Conventional Milling Machine

1-Machine per DWG
DWG REV: N/C

2- deburr and break all sharp edges

120

0.00

120

QC

Quality Control

QC2- Inspect parts off machine FAI/FAIB

Memo

0.00

5 Ø J.C.L. 10/09/105 Ø J.C.L. 10/09/10

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER :							
Misidentified ☐	Past Due ☐								

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QS1042) Approval	
Description Work Order Deviation			Disposition		
			Completed By		
			Lead hand / Supervisor Approval Verification		
			QC / QA Coordinator Approval		
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabelled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : ☐					

Work Order ID 136560

136560

Page 3

Thursday, September 03, 2015 8:01:34 AM

Item ID: 646.3810 Accept *N900040100* Setup Start *NS1*
Revision ID: Stop *NS2*
Item Name: Bracket
Start Date: 9/4/2015 Start Qty: 5.00 *5* Cust Item ID:
Required Date: 9/4/2015 Req'd Qty: 5.00 *5* Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start *NR1*
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
155	QC5- Inspect part completeness to step on W/O	0.00							DAS 38 9-89
155									
QC	Memo	0.00							
Quality Control									SEP 17 2015
180	Identify as per dwg & Stock Location: ^{DAS} 27 ^{ack} 106	0.00							
180									
Packaging	Memo	0.00							
Packaging	***IDENTIFY AS PER APICAL MPP-120 BY STAMPING P# AND REV***								DAS 27 9-89
190	QC21- Final Inspection - Work Order Release	0.00							
190									
QC	Memo	0.01							
Quality Control									SEP 17 2015

MCS SEP 17 2015

SEP 17 2015

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QS1042) Approval	
Description Work Order Deviation			Disposition		
			Completed By		
			Lead hand / Supervisor Approval Verification		
			QC / QA Coordinator Approval		
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabelled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : ☐					

Picklist Print

Thursday, September 03, 2015 8:01:38 AM

Page 1

Work Order ID: 136560

136560

Parent Item: 646.3810

646.3810

Parent Item Name: Bracket

Start Date: 9/4/2015

Required Date: 9/4/2015

Start Qty: 5.00

Required Qty: 5.00

Comments: IPP REV:A NEW ISSUE 12-10-22 JLM VERIFIED:DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M7075T6A1.00X0.75X 0.125X0.060		Purchased		No		110	f	43.0480	0.1375	0.6875			

***M7075T6A1 00X0 75X0 125X0**

7075T6 ANGLE 1.0" X .75" X .125" X .060"W

Location

Loc Qty

Loc Code

MAT051

43.048

123947

43.048

1.5468 J.C.L. 15/09/10

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="border: none;">Skid-tube ☐</td> <td style="border: none;">Cross tube ☐</td> <td style="border: none;">Water Jet ☐</td> <td style="border: none;">Engineering ☐</td> </tr> <tr> <td style="border: none;">Machining ☐</td> <td style="border: none;">Small Fab ☐</td> <td style="border: none;">Prod. Eng. Coord. ☐</td> <td style="border: none;">Quality ☐</td> </tr> <tr> <td style="border: none;">Thermoforming ☐</td> <td style="border: none;">Finishing ☐</td> <td style="border: none;">Rec/Store/Packaging ☐</td> <td style="border: none;">Other ☐</td> </tr> <tr> <td style="border: none;">Large Fab ☐</td> <td style="border: none;">Composite ☐</td> <td style="border: none;">Supplier ☐</td> <td></td> </tr> </table>						Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																						
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																						
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																						
Large Fab ☐	Composite ☐	Supplier ☐																							
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																		
Description Work Order Deviation				Disposition			Completed By																		
							Lead hand / Supervisor Approval Verification																		
							QC / QA Coordinator Approval																		
Root Cause		FAULT CATEGORY																							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	OTHER : _____																			

APICAL INDUSTRIES, INC.	ENGINEERING CHANGE NOTICE NO. 03697				SHEET 1 OF 1	
	DWG NO. 646.3800	REV: N/C	PREPARED BY B. PETERS	DATE: 11/14/12	EFFECT ON DWG ☐ INC. ☒ UNINC.	
	DWG TITLE: BRACKETS					
APPROVED BY: ENGR <i>[Signature]</i>		MFG <i>[Signature]</i>	QC <i>[Signature]</i>	EFF: NEXT ORDER		
TRANSACTION CODES (TC) A-ADD C-CREATE R-REVISE D-DELETE	REASON: ADDED ALTERNATE MATERIAL.				ECR: D-12-006	

IS

1 PRIMARY MATERIAL: 7075-T651 ALUMINUM PER AMS-QQ-A-250/12.
ALTERNATE MATERIAL: 7075-T6511 ALUMINUM PER AMS-QQ-A-200/11.

SHEET 1, ZONE A2 IS:


STANDARD
COPY
TO
ENGINEERING
UNCONTROLLED COPY
SUBMITTAL DOCUMENT
FOR
REVIEW
136560.MLS
15-09-03

F/N	TC	PART NUMBER	QTY	DESCRIPTION	MATERIAL	SPECIFICATION
DOCUMENTS EFFECTED:				☐ RFMS ☐ MDL ☐ INSTALL INSTRU ☐ ICA ☐ BOM		
				CHANGE CATEGORY ☐ MAJOR ☒ MINOR		
				DER REVIEW REQUIRED ☐ YES ☒ NO		



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

NOTES:

- 1 MATERIAL: ALUMINUM 7075-T651 AMS-QQ-A-250/12
- 2 FINISH: HARD ANODIZE IAW MIL-A-8625 TYPE III, CLASS 2, COLOR BLACK; CARDINAL 4840-50 PRETREATMENT PRIMER PRIME IAW MIL-P-23377J TYPE I CLASS N
- 3 DEBURR AND BREAK ALL SHARP EDGES
- 4 IDENTIFY IAW MPP-120



646.3810




UNINCORPORATED ELEM(S)

03/09/97



		646.3814	WIPER BRACKET	△	△									
		646.3813	STRUT BRACKET	△	△									
		646.3812	GUSSET BRACKET	△	△									
		646.3811	RADIUS BLOCK	△	△									
		646.3810	BRACKET	△	△									
	QTY	FIND #	PART #	DESCRIPTION	MATL	SPEC								
<table border="1"> <tr> <td>QTY</td><td>NEXT ASSY (S)</td><td>646.4000</td> <td> ORIGINAL DATE 05-15-05 MODIFIED BY DRAWN BY CHECKED BY DESIGNED BY PERMANENT DRAWING APPROVAL PERMANENT CONFIRM # NO. </td> </tr> <tr> <td colspan="2">UNLESS OTHERWISE SPECIFIED</td><td colspan="2"> DIMENSIONS ARE IN INCHES 2 PLACE DECIMALS 3 PLACE DECIMALS 4 PLACE DECIMALS 5 PLACE DECIMALS </td> </tr> </table>							QTY	NEXT ASSY (S)	646.4000	ORIGINAL DATE 05-15-05 MODIFIED BY DRAWN BY CHECKED BY DESIGNED BY PERMANENT DRAWING APPROVAL PERMANENT CONFIRM # NO.	UNLESS OTHERWISE SPECIFIED		DIMENSIONS ARE IN INCHES 2 PLACE DECIMALS 3 PLACE DECIMALS 4 PLACE DECIMALS 5 PLACE DECIMALS	
QTY	NEXT ASSY (S)	646.4000	ORIGINAL DATE 05-15-05 MODIFIED BY DRAWN BY CHECKED BY DESIGNED BY PERMANENT DRAWING APPROVAL PERMANENT CONFIRM # NO.											
UNLESS OTHERWISE SPECIFIED		DIMENSIONS ARE IN INCHES 2 PLACE DECIMALS 3 PLACE DECIMALS 4 PLACE DECIMALS 5 PLACE DECIMALS												
APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA 92056-3512 (760) 724-5300														
BRACKETS														
SIZE (CASE CODE) 6 071M6		DWG NO. 646.3800		P/N (N/A)										
SCALE NONE		SHEET												

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED





646.3811





NEXT ASSY (S)		ORIGINAL DATE 06-19-06	APICAL INDUSTRIES 2468 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760)724-5300 BRACKETS
		DRAWN BY TOD RYDER	
		CHECKED BY 	
		DATE 	
		CONTRACT NO. 	SCALE NONE SHEET 2 OF 5
		UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE FRACTIONS DECIMALS ANGLES 1/16 0.0000 1/16 0.0000 1/16 0.0000	
		SIZE CAGE CODE DWG. NO	
		B 07M26 646.3800	

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
APICAL INDUSTRIES ANY REPRODUCTION IN PART OR WHOLE WITHOUT
THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED




646.3812





NEXT ASSY (S)	ORIGINAL DATE	08-19-08	APICAL INDUSTRIES 2808 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760)724-5300	
	DRAWN BY	CHIC219		
	1. GARDNER			
	DRAWING APPROVAL			
	CONTRACT NO.		BRACKETS	
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: 2 PLACE DECIMALS ± .010 3 PLACE DECIMALS ± .005 ANGLES ± .5°			
	SIZE	FACE CODE	DWG. NO.	REV.
	B	07M16	646.3800	N/C
	SCALE	NONE	SHEET 3 OF 3	

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
APICAL INDUSTRIES ANY REPRODUCTION IN PART OR WHOLE WITHOUT
THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED




646.3813





NEXT ASSY (S)	ORIGINAL DATE	08-19-08	APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760)724-5300	
	DRAWN BY	CHECKER		
	1. GARDNER	DRAWING APPROVAL		
	CUSTOMER NO.			
UNITS: OTHERWISE SPECIFIED			BRACKETS SET 1 C161FC001 DWG NO. 646.3800 REV. N/C	
DIMENSIONS ARE IN INCHES				
TOLERANCES ARE			SCALE NONE SHEET 4 OF 5	
2. PLACE DECIMALS ±.015				
3. PLACE DECIMALS ±.005				
ANGLES ±.2°				

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
APICAL INDUSTRIES ANY REPRODUCTION IN PART OR WHOLE WITHOUT
THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



646.3814



SECTION A-A

NEXT ASSY (S)	ORIGINAL DATE	08-19-08		APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR OCEANSIDE, CA 92056-3512 (760)724-5300	
	INCH/DATE	08-19-08			
	DRAWN BY	J. CARDNER			
	CHECKED BY				
	DRAWING APPROVAL			BRACKETS	
	CONTRACT NO.				
	UNITS DIMENSIONS SPECIFIED	DIMENSIONS ARE IN INCHES		SIZE	SCALE
	TOLERANCES ARE	FRACTIONS DECIMALS ±.016		B 07M26	NONE
	ANGLES ±.5°			DWG NO	SHEET
				646.3800	5 OF 5



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO29775**

Purchase Order Date 9/14/2015

PO Print Date 9/16/2015

Page Number 2 of 3

Order From :

VC-ATG001

Ship To : DART AEROSPACE LTD

A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE ROAD
ROCKLAND, ON K4K 1T2
CANADA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

613-446-4544

Ship To Contact

Ship To Phone

Ship Via:

VENDOR'S TRUCK

Ship Acct:

Buyer

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

FCA - (Free Carrier)

Line Total: \$53.33

4	135625	646.3610 FILLER REV. N/C	9/18/2015	6.00	\$13.33	\$80.00
---	--------	-----------------------------	-----------	------	---------	---------

Yes

9/18/2015

FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2 / PRIME AS PER IAW MIL-P-23377J TYPE 1 CLASS N

Line Total: \$80.00

5	135560	646.3810 BRACKET REV. N/C	9/18/2015	5.00	\$13.33	\$66.67
---	--------	------------------------------	-----------	------	---------	---------

Yes

9/18/2015

FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2 / PRIME AS PER IAW MIL-P-23377J TYPE 1 CLASS N

Line Total: \$66.67

SP18-09-17

Note:

9/16/2015



A.T.G. Industries Inc.
731, rue Industrielle Rd.
PLATING DEPARTMENT
Rockland, On K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 63916

Date: 17-Sep-15

To

DART AEROSPACE LTD
1270 ABERDEEN ST.
HAWKESBURY, ON K6A 1K7
Canada

Ship To

DART AEROSPACE LTD
1270 ABERDEEN ST.
HAWKESBURY, ON K6A 1K7
Canada

Ph: 613-632-5200


Fax: 613-632-1185

Ph: 613-632-5200

Fax: 613-632-1185

Terms		Ship Via	
Quantity	Description		
2 ea	Part: D4410-043 COPILOT HEAD BLACK ANODIZE MIL-A-8625 TYPE II CLASS 2 Job: 20150696	Rev: E	PO: PO29775 Line:
12 ea	Part: 646.3210 SUPPORT HARD ANODIZE AS PER MIL-A-8625 TY III, CLASS 2 PRIME AS PER MIL-P-23377J TYPE I CLASS N PRIMER IS SUPPLY BY THE CUSTOMER Job: 20150697	Rev: N/C	PO: PO29775 Line:
4 ea	Part: 646.3313 UPPER GUIDE HARD ANODIZE BLACK AS PER MIL-A-8625 TY III, CLASS 2 PRIME AS PER MIL-P-23377J TYPE I CLASS N PRIMER IS SUPPLY BY THE CUSTOMER Job: 20150698	Rev: N/C	PO: PO29775 Line:
6 ea	Part: 646.3610 FILLER HARD ANODIZE AS PER MIL-A-8625 TY III, CLASS 2 PRIME AS PER MIL-P-23377J TYPE I CLASS N PRIMER IS SUPPLY BY THE CUSTOMER Job: 20150699	Rev: N/C	PO: PO29775 Line:
5 ea	Part: 646.3810 BRACKET HARD ANODIZE AS PER MIL-A-8625 TY III, CLASS 2	Rev: N/C	

8015-09-17



A.T.G. Industries Inc.
731, rue Industrielle Rd.
PLATING DEPARTMENT
Rockland, On K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 63916

Date: 17-Sep-15

To

DART AEROSPACE LTD
1270 ABERDEEN ST.
HAWKESBURY, ON K6A 1K7
Canada

Ship To

DART AEROSPACE LTD
1270 ABERDEEN ST.
HAWKESBURY, ON K6A 1K7
Canada

Ph: 613-632-5200

Fax: 613-632-1185

Ph: 613-632-5200

Fax: 613-632-1185

Terms		Ship Via	
Quantity	Description		
	PRIME AS PER MIL-P-23377J TYPE I CLASS N PRIMER IS SUPPLY BY THE CUSTOMER Job: 20150700 PO: PO29775 Line:		
Certificate of Conformance			
A.T.G. Industries certifies that all items in this shipment are in conformance with all requirements, specifications and drawings referenced in the purchase order.			
ISO 9001 : 2008 REGISTERED ATG SALES-2010 TERMS APPLY			
DATE: 17/9/15			
CERTIFIED SIGNATURE: 			
RECEIVER SIGNATURE: 